

U-Tron (Beijing) Electronics
Co., Ltd.

Indoor Solutions Extendum T8 LED Tube Light



Environmentally Friendly
Economically Smart

www.u-tron.com



About U-Tron (Beijing) Electronics Co., Ltd.

U-Tron (Beijing) Electronics Co. Ltd is a wholly owned American enterprise established in China in 1992. Our innovative technology is developed in the U.S and our core manufacturing is centralised in China.

As an engineering company, we possess the resources to design, develop and manufacture high power LED luminaries. We are committed to employing the latest technologies with the highest level of quality, service and value to our customers and suppliers through a process of continuous improvement.

Customers and suppliers are encouraged to visit our BDA factory to review our manufacturing process and the strict ISO 9000 quality standards imposed on our entire product range. Today, U-Tron owns 1000 square metres of office space located in the Central Business District of Beijing and a 1,800 square metre factory in the Beijing Development Area of Yi Zhuang District.

U-Tron's central goal is to promote the use of sustainable energy; a critical step in responding to our current deteriorating environment.



Table of Contents

<u>Extendum T8 LED Tube Light</u>	4
--	----------

Technical Specifications

Extendum T8 300 mm	6
Extendum T8 600 mm	8
Extendum T8 1200 mm Cool White	10
Extendum T8 1200 mm Neutral White	12
Extendum T8 1200 mm Warm White	14
Extendum T8 1500 mm	16

<u>U-Tron Warranty</u>	18
-------------------------------	-----------



U-Tron Extendum T8 LED Tube Light

Light features:



U-Tron's Extendum T8 LED Tube Lights are the environmentally friendly and cost efficient answer to traditional T8 tube lights. Besides a perfect retrofit for 4 different tubes, Extendum T8 also offers great quality lighting in different colors, such as Cool White, Warm White & Natural White. U-Tron's signature design allows for a brightness that is equal to traditional tube lights, with consistent coverage. The Extendum is the perfect solution for general indoor lighting applications, such as offices, shops, and homes.

Safety is a very important aspect. Extendum T8 LED Tube Lights have been tested extensively and safe usage and replacement are guaranteed.



U-Tron Extendum T8 LED Tube Light

U-Tron Extendum T8 LED Tube Lights at Tesco Supermarket, Beijing



Before shop opening:



After shop opening:





Extendum T8



68T8-040-06W11

Extendum T8 500 lm 300mm 6W G13 W

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Product Dimensions

Length L1	313mm
Length L2	300mm

Light Characteristics

Efficacy	83.00lm/W
Beam Angle	160 D
CCT	4000K
Flux	500lm
Color Rending Index	75

Bipin Distance B1	12.7mm
Mounting Hole Diameter	28mm
Circular Outline Dimension	26mm

Ordering Information

Product Number	A-68T8-040-06W11
Product Name	Extendum T8
Product Ordering Name	Extendum T8 500lm 300mm 6W G13

Electrical Characteristics

Wattage	6W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	195 Grams

Temperature


Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

www.u-tron.com



Extendum T8

Technical Drawing



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





Extendum T8



68T8-080-06C11

Extendum T8 1002lm 600mm 11.6W G13 C

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Light Characteristics

Efficacy	87.09lm/W
Beam Angle	160 D
CCT	6327K
Flux	1000lm
Color Rendering Index	70.3

Electrical Characteristics

Wattage	11.6W
Voltage	universal
Power Factor	0.926

Temperature

Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

Product Dimensions

Length (L1)	605mm
Length (L2)	592mm

Bipin Distance (B1)	12.7mm
Mounting Hole Diameter	28mm
Circular Outline Dimension (D)	26mm


Ordering Information

Product Number	A-68T8-080-06C11
Product Name	Extendum T8
Product Ordering Name	Extendum T8 1002lm 600mm 11.6W G13
Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	195 Grams

www.u-tron.com



Extendum T8



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





EXTENDUM **T8**

Extendum T8

68T8-160-C1221

Extendum T8 1900 lm 1200mm 21W G13 C

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Light Characteristics

Efficacy	90lm/W
Beam Angle	165 D
CCT	5500K
Flux	1900lm
Color Rendering Index	75

Electrical Characteristics

Wattage	21W
Voltage	universal
Power Factor	0.937

Temperature

Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

Product Dimensions

Length L1	1215mm
Length L2	1203mm

Bipin Distance B1	12.7mm
Mounting Hole Diameter D2	31mm
Circular Outline Dimension D1	26mm

Ordering Information


Product Number	A-68T8-160-C1221
Product Name	Extendum T8
Product Ordering Name	Extendum T8 1900lm 1200mm 21W G13

Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	360 Grams

www.u-tron.com



Extendum T8



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change





Extendum T8



68T8-160-N1221

Extendum T8 1700lm 1200mm 21W G13 N

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Light Characteristics

Efficacy	80.90lm/W
Beam Angle	165 D
CCT	4000K
Flux	1700lm
Color Rending Index	75

Electrical Characteristics

Wattage	21W
Voltage	universal
Power Factor	0.937

Temperature

Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

Product Dimensions

Length L1	1215mm
Length L2	1203mm

Bipin Distance B1	12.7mm
Mounting Hole Diameter D2	31mm
Circular Outline Dimension D1	26mm


Ordering Information

Product Number	A-68T8-160-N1221
Product Name	Extendum T8
Product Ordering Name	Extendum T8 1700lm 1200mm 21W G13
Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	360 Grams

www.u-tron.com



Extendum T8



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





Extendum T8



68T8-160-W1221

Extendum T8 1500lm 1200mm 21W G13 W

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Light Characteristics

Efficacy	71.00lm/W
Beam Angle	165 D
CCT	3000K
Flux	1500lm
Color Rendng Index	75

Electrical Characteristics

Wattage	21W
Voltage	universal
Power Factor	0.937

Temperature

Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

Product Dimensions

Length L1	1215mm
Length L2	1203mm

Bipin Distance B1	12.7mm
Mounting Hole Diameter D2	31mm
Circular Outline Dimension D1	26mm


Ordering Information

Product Number	A-68T8-160-W1221
Product Name	Extendum T8
Product Ordering Name	Extendum T8 1500lm 1200mm 21W G13
Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	360 Grams

www.u-tron.com



Extendum T8



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





Extendum T8



68T8-160-W1221

Extendum T8 2245lm 1500mm 29W G13 W

The Extendum T8 is the ideal LED replacement for conventional fluorescent tube lights. U-Tron's signature design allows for a brightness that is equal to traditional bulbs, with consistent coverage. The Extendum is the perfect solution for general lighting applications

Product Technical Data

General Informaion

Cap Size	G13
Life Span	50000hr

Light Characteristics

Efficacy	75.65lm/W
Beam Angle	165 D
CCT	4000K
Flux	2245lm
Color Rendring Index	75

Electrical Characteristics

Wattage	29W
Voltage	universal
Power Factor	0.977

Temperature

Operating Temp.	-30(min), 65(max)C
Storage	-40(min), 65(max)C

Product Dimensions

Length L1	1513 mm
Length L2	1501 mm

Bipin Distance B1	12.7mm
Mounting Hole Diameter D2	31mm
Circular Outline Dimension D1	26mm

Ordering Information


Product Number	A-68T8-200-N1529
Product Name	Extendum T8
Product Ordering Name	Extendum T8 2245lm 1500mm 29W G13

Pieces Per Pack	1
Packs Per Carton	10
Net Weight Per Piece	360 Grams

www.u-tron.com



Extendum T8



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change



U-Tron Warranty

U-Tron (Beijing) Electronics Co. Ltd., warrant the products listed bellow for a period of 36 months from the date of shipment to be free from defects in material or workmanship and to be of the kind and quality designated or specified in the purchase agreements. If any products do not meet the above warranty and the buyer promptly files a warranty claim U-Tron shall do the following:


1. U-Tron shall provide a 12 month “No Questions Asked” replacement of any faulty units at no charge to the customer. The time limit for exchange shall not exceed 30 days from the time a claim is filed by the buyer. The buyer shall return the faulty units within 30 days of filing the claim. The method of returning the faulty units to U-Tron shall be decided at that time by U-Tron and all shipping charges shall be borne by U-Tron.
2. At the end of the 12 month period U-Tron shall provide additional free extended warranty for another 24 months. During this 24 month period U-Tron shall repair or replace and re-certify all faulty units returned. Shipping charges for sending the units to U-Tron shall be the responsibility of the Buyer and the Shipping charges to return the repaired goods to the buyer shall be borne by U-Tron. Time limit for repairs shall not exceed 60 days.
3. The warranties set forth herein shall be voided if the units have been 1) repaired or altered by any un-authorized person 2) subjected to misuse, negligence and accidents or operated in other than normal operation and use. 3) Connected, installed or modified in a manner not in accordance with U-Tron instructions.
This warranty is applicable to all LED Products.
4. U-Tron at our own option can elect to provide replacement units at any desired percentage to be warehoused and logged by the buyers for timely service of the extended warranty replacements. When the warranty expires the bad units and the unused spare parts items shall be shipped back to U-Tron unless otherwise stipulated in the contract or purchase agreements. If the warehoused quantities become 90% used up or nearing the end of stock, the buyers shall ship back the faulty units to U-Tron. U-Tron shall rotate the spare parts inventory with in 60 days of receiving from the buyers.
5. All warranty claim items shall by shipped to the buyers regardless of the geographical location, by air freight to the nearest airport or courier service to the customer site, and any returning items can be shipped by sea or air freight at the request of U-Tron. If the customer fails to return the said faulty units with in the time frame as instructed, it will be considered as sold and U-Tron reserve the rights to bill the customer for its full value.
6. U-Tron shall not bare any responsibilities with the buyer's customer claims or shall not bare any other expenses incurred other than the units cost it self. Customer site un-installation and re-installation of any faulty units shall not be the responsibility of U-Tron.

U-Tron LED Lights

Save Energy, Save the World!



www.u-tron.com



U-Tron (Beijing) Electronics Co., Ltd.

**5 South Jiuxianqiao Road
Chaoyang District
Beijing 100016**

**Phone: +86-10-6568-2990
Email: sales2@u-tron.com**