

U-Tron (Beijing) Electronics
Co., Ltd.

Indoor Solutions

UFO Series LED



Environmentally Friendly
Economically Smart

www.u-tron.com



About U-Tron (Beijing) Electronics Co., Ltd.

U-Tron (Beijing) Electronics Co. Ltd is a wholly owned American enterprise established in China in 1992. Our innovative technology is developed in the U.S and our core manufacturing is centralised in China.

As an engineering company, we possess the resources to design, develop and manufacture high power LED luminaries. We are committed to employing the latest technologies with the highest level of quality, service and value to our customers and suppliers through a process of continuous improvement.

Customers and suppliers are encouraged to visit our BDA factory to review our manufacturing process and the strict ISO 9000 quality standards imposed on our entire product range. Today, U-Tron owns 1000 square metres of office space located in the Central Business District of Beijing and a 1,800 square metre factory in the Beijing Development Area of Yi Zhuang District.

U-Tron's central goal is to promote the use of sustainable energy; a critical step in responding to our current deteriorating environment.



Table of Contents

UFO Series LED

Features & Applications	4
-------------------------	---

Technical Specifications

UFO 12 Bay Light	6
UFO 28 Bay Light	8
UFO 36 Bay Light	10
UFO 36 Bay Light	12
UFO 36 Bay Light	14
UFO 12 Down Light	16
UFO 04 Recessed Light Philips Chip	18
UFO 05 Recessed Light Philips Chip	20
UFO 06 Recessed Light Philips Chip	22
UFO 12 Recessed Light	24
UFO 28 Recessed Light	26
UFO 28 Recessed Light	28
UFO 36 Recessed Light	30

<u>U-Tron Warranty</u>	32
-------------------------------	----

U-Tron UFO Series LED



Light features:

Like a UFO flying over head, U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices, as well as factories and workshops.



U-Tron UFO Series LED

U-Tron UFO Recessed Lights at Tesco Supermarket in Daxing, Beijing





UFO

**68880-P12-CR5**

UFO Bay Light-12 1668LM 20W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	380mm
Lamp Height	362mm

Light Characteristics

Efficacy	83.40 lm/W
Beam Angle	120
CCT	5500K
Flux	1668lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-P12-CR5
Product Name	UFO-12 Bay Light
Product Ordering Name	UFO Bay Light-12 1668lm 20W

Electrical Characteristics

Wattage	20W
Voltage	universal
Power Factor	0.937


Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1 Kg

Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com


UFO Bay Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





UFO



68880-P28-CR5

UFO Bay Light-28 3892LM 40W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	380mm
Lamp Height	362mm

Light Characteristics

Efficacy	97.3 lm/W
Beam Angle	120
CCT	5500K
Flux	3892lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-P28-CR5
Product Name	UFO-28 Bay Light
Product Ordering Name	UFO Bay Light-28 3892lm 40W

Electrical Characteristics

Wattage	40W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Bay Light




Light Distribution Characteristics

Ceiling Height: 4-6 Meters

Illuminance at a Distance			
	Center Beam LUX	Beam Width	
1.3m	1,093.51 LUX	1.9m	1.9m
2.7m	273.38 LUX	3.7m	3.7m
4.0m	121.50 LUX	5.6m	5.6m
5.3m	68.34 LUX	7.5m	7.4m
6.7m	43.74 LUX	9.3m	9.3m
8.0m	30.38 LUX	11.2m	11.1m
■ Vert. Spread: 70.1° ■ Horiz. Spread: 69.6°			

Polar Candela Distribution



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





UFO

**68880-P36-CR5**

UFO Bay Light-36 5004LM 50W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	380mm
Lamp Height	362mm

Light Characteristics

Efficacy	100.00 lm/W
Beam Angle	120
CCT	5500K
Flux	5004lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-P36-CR5
Product Name	UFO-36 Bay Light
Product Ordering Name	UFO Bay Light-36 5004lm 50W

Electrical Characteristics

Wattage	50W
Voltage	universal
Power Factor	0.937


Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1 Kg

Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com


UFO Bay Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change





UFO



68880-P36-CR5

UFO Bay Light-36 10000LM 100W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	380mm
Lamp Height	362mm

Light Characteristics

Efficacy	100 lm/W
Beam Angle	120
CCT	5500K
Flux	10000lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-P36-CR5
Product Name	UFO-36 Bay Light
Product Ordering Name	UFO Bay Light- 36 10000lm 100W

Electrical Characteristics

Wattage	100W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Bay Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





UFO



68880-P36-CR5

UFO Bay Light-36 15000LM 150W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	380mm
Lamp Height	362mm

Light Characteristics

Efficacy	100 lm/W
Beam Angle	120
CCT	5500K
Flux	15000lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-P36-CR5
Product Name	UFO-36 Bay Light
Product Ordering Name	UFO Bay Light- 36 15000lm 150W

Electrical Characteristics

Wattage	150W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Bay Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





UFO

**68880-P12-CR5**

UFO-12 Down Light CR5 1688LM 20W

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr
Cap Size	E40

Product Dimensions

Lamp Diameter	120mm
Lamp Height	158mm

Light Characteristics

Efficacy	83.40 lm/W
Beam Angle	120
CCT	5500K
Flux	1688lm
Color Rendering Index	85

Ordering Information

Product Number	A-68880-P12-CR5
Product Name	UFO-12 Down Light (E40)
Product Ordering Name	UFO12 Down Light 1688lm 20W CR5

Electrical Characteristics

Wattage	20W
Voltage	universal
Power Factor	0.937


Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg

Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com


UFO Down Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





6880-R04-PWW

UFO



UFO-04 Recessed Light 825.6LM 13.5W PWW

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	120mm
Lamp Height	90mm
Cut Out Diameter	101mm

Light Characteristics

Efficacy	61.73lm/W
Beam Angle	120
CCT	3199K
Flux	825.6lm
Color Rendng Index	83

Ordering Information

Product Number	A-6880-R04-PWW
Product Name	UFO-04 Phillips WW
Product Ordering Name	

UFO 04 Recessed Light 825.6lm
13.5W Phillips

Electrical Characteristics

Wattage	13.5W
Voltage	universal
Power Factor	0.981

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Recessed Light-Phillips Inside



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





6880-R05-PWW

UFO



UFO-05 Recessed Light 834.4LM 13.6W PWW

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	145mm
Lamp Height	90mm
Cut Out Diameter	127mm

Light Characteristics

Efficacy	61.40lm/W
Beam Angle	120
CCT	3734K
Flux	834.40lm
Color Rendng Index	84.3

Ordering Information

Product Number	A-6880-R05-PWW
Product Name	UFO-05 Phillips WW
Product Ordering Name	UFO 05 Recessed Light 834.4lm 13.6W Phillips

Electrical Characteristics

Wattage	13.6W
Voltage	universal
Power Factor	0.981

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Recessed Light-Phillips Inside



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





6880-R06-PWW

UFO



UFO-06 Recessed Light 800.6LM 12.6W PWW

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	165mm
Lamp Height	90mm
Cut Out Diameter	152.4mm

Light Characteristics

Efficacy	64.118lm/W
Beam Angle	120
CCT	3681K
Flux	800.6lm
Color Rendering Index	83.6

Ordering Information

Product Number	A-6880-R06-PWW
Product Name	UFO-06 Phillips WW
Product Ordering Name	

UFO 06 Recessed Light 800.6lm
12.6W Phillips

Electrical Characteristics

Wattage	13.6W
Voltage	universal
Power Factor	0.979

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Recessed Light-Phillips Inside



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change

www.u-tron.com





UFO



6880-R12-CR5

UFO-12 Recessed Light 1668LM 20W CR5

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	120mm
Lamp Height	158mm
Open Hole Diameter	210mm

Light Characteristics

Efficacy	83.40 lm/W
Beam Angle	120
CCT	5000K
Flux	1668lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-R12-CR5
Product Name	UFO-12 Recessed Light
Product Ordering Name	UFO12 Recessed Light 1668lm 20W

Electrical Characteristics

Wattage	20W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Recessed Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change





UFO



6880-R28-WQ5

UFO-28 Recessed Light 2996LM 40W WQ5

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	120mm
Lamp Height	158mm
Open Hole Diameter	210mm

Light Characteristics

Efficacy	74.9 lm/W
Beam Angle	120
CCT	3000K
Flux	2996lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-R28-WQ5
Product Name	UFO-28 Recessed Light
Product Ordering Name	UFO28 Recessed Light 2996lm 40W

Electrical Characteristics

Wattage	40W
Voltage	universal
Power Factor	0.937

Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg


Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com



UFO Recessed Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change





UFO

**68880-R26-CR5**

UFO-28 Recessed Light 3892LM 40W CR5

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	195mm
Lamp Height	191mm
Open Hole Diameter	229mm

Light Characteristics

Efficacy	97.3 lm/W
Beam Angle	120
CCT	5000K
Flux	3892lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-R28-CR5
Product Name	UFO-28 Recessed Light
Product Ordering Name	UFO28 Recessed Light 3892lm 40W

Electrical Characteristics

Wattage	40W
Voltage	universal
Power Factor	0.937


Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg

Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com


UFO Recessed Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change





UFO

**68880-R36-CR5**

UFO-36 Recessed Light 5004LM 50W CR5

Like a UFO flying over head U-Tron's UFO Series will leave you both mystified and in awe with the brightness and clarity of the light and the amount of savings received on your energy bill. The UFO Series is ideal for shops, restaurants and offices.

Product Technical Data

General Informaion

Heatsink	6063-T5 aluminum alloy
Life Span	50000hr

Product Dimensions

Lamp Diameter	195mm
Lamp Height	191mm
Open Hole Diameter	229mm

Light Characteristics

Efficacy	100.00lm/W
Beam Angle	120
CCT	5000K
Flux	5004lm
Color Rendering Index	85

Ordering Information

Product Number	A-6880-R36-CR5
Product Name	UFO-36 Recessed Light
Product Ordering Name	UFO36 Recessed Light 5004lm 50W

Electrical Characteristics

Wattage	50W
Voltage	universal
Power Factor	0.937


Pieces Per Pack	1
Packs Per Carton	2
Net Weight Per Piece	1.5 Kg

Temperature

Operating Temp.	-40(min), 45(max)C
Storage	-40(min), 45(max)C

www.u-tron.com


UFO Recessed Light



©2012 U-Tron (Beijing) Electronics Co., LTD

All rights reserved

Specifications are subject to change without notice

15-Feb-12

data subject to change



U-Tron Warranty

U-Tron (Beijing) Electronics Co. Ltd., warrant the products listed bellow for a period of 36 months from the date of shipment to be free from defects in material or workmanship and to be of the kind and quality designated or specified in the purchase agreements. If any products do not meet the above warranty and the buyer promptly files a warranty claim U-Tron shall do the following:


1. U-Tron shall provide a 12 month “No Questions Asked” replacement of any faulty units at no charge to the customer. The time limit for exchange shall not exceed 30 days from the time a claim is filed by the buyer. The buyer shall return the faulty units within 30 days of filing the claim. The method of returning the faulty units to U-Tron shall be decided at that time by U-Tron and all shipping charges shall be borne by U-Tron.
2. At the end of the 12 month period U-Tron shall provide additional free extended warranty for another 24 months. During this 24 month period U-Tron shall repair or replace and re-certify all faulty units returned. Shipping charges for sending the units to U-Tron shall be the responsibility of the Buyer and the Shipping charges to return the repaired goods to the buyer shall be borne by U-Tron. Time limit for repairs shall not exceed 60 days.
3. The warranties set forth herein shall be voided if the units have been 1) repaired or altered by any un-authorized person 2) subjected to misuse, negligence and accidents or operated in other than normal operation and use. 3) Connected, installed or modified in a manner not in accordance with U-Tron instructions.
This warranty is applicable to all LED Products.
4. U-Tron at our own option can elect to provide replacement units at any desired percentage to be warehoused and logged by the buyers for timely service of the extended warranty replacements. When the warranty expires the bad units and the unused spare parts items shall be shipped back to U-Tron unless otherwise stipulated in the contract or purchase agreements. If the warehoused quantities become 90% used up or nearing the end of stock, the buyers shall ship back the faulty units to U-Tron. U-Tron shall rotate the spare parts inventory with in 60 days of receiving from the buyers.
5. All warranty claim items shall by shipped to the buyers regardless of the geographical location, by air freight to the nearest airport or courier service to the customer site, and any returning items can be shipped by sea or air freight at the request of U-Tron. If the customer fails to return the said faulty units with in the time frame as instructed, it will be considered as sold and U-Tron reserve the rights to bill the customer for its full value.
6. U-Tron shall not bare any responsibilities with the buyer's customer claims or shall not bare any other expenses incurred other than the units cost it self. Customer site un-installation and re-installation of any faulty units shall not be the responsibility of U-Tron.

U-Tron LED Lights

Save Energy, Save the World!



www.u-tron.com



U-Tron (Beijing) Electronics Co., Ltd.

**5 South Jiuxianqiao Road
Chaoyang District
Beijing 100016**

**Phone: +86-10-6568-2990
Email: sales2@u-tron.com**